

COMPREHENSIVE LITERATURE CITED

- Alaback, P.B., and Herman, F.R. 1988. Long-term response of understory vegetation to stand density in *Picea-Tsuga* forests. *Canadian Journal of Forest Research* 18:1522–1530.
- Ammon, E.M., and W.M. Gilbert. 1999. Wilson's warbler (*Wilsonia pusilla*). In: Poole, A., and F. Gill, editors. *The birds of North America*. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, DC. 28 p.
- Bailey, J.D. 1996. Effects of stand density reduction on structural development in western Oregon Douglas-fir forests: a reconstruction study. Ph.D. dissertation, Oregon State University, Corvallis. 126 p.
- Bailey, J.D., C. Mayrsohn, P.S. Doescher, E. St. Pierre, and J.C. Tappeiner. 1998. Understory vegetation in old and young Douglas-fir forests of western Oregon. *Forest Ecology and Management* 112:289–302.
- Bailey, J.D., and J.C. Tappeiner. 1998. Effects of thinning on structural development in 40- to 100-year-old Douglas-fir stands in western Oregon. *Forest Ecology and Management* 108:99–113.
- Barry, T.N., and D.A. Foss. 1983. The condensed tannin content of vegetative *Lotus pedunculatus*, its regulation by fertilizer application, and effect on protein solubility. *Journal of the Science of Food and Agriculture*. 34:1047–1056.
- Beal, F.E.L. 1907. Birds of California in relation to the fruit industry. Part 1. U.S. Department of Agriculture, Biological Survey Report. Bulletin 30.
- Beal F. E. L. 1915. Food habits of the thrushes of the United States. U.S. Department of Agriculture. Agricultural Bulletin 280.
- Beaver, D.L., and P.H. Baldwin. 1975. Ecological overlap and the problem of competition and sympatry in Western and Hammond's flycatchers. *Condor* 77:1–17.
- Bent, A.C. 1963. Life histories of North American wood warblers. United States National Museum Bulletin 203:626–646.
- Bergin, T.M. 1992. Habitat selection by the western kingbird in western Nebraska: a hierarchical analysis. *Condor* 94:903–911.
- Berryman A.A. 1986. Forest insects: principles and practice of population management. Plenum Press, New York. 279 p.

- Blake, J.G., and W.G. Hoppes. 1986. Influence of resource abundance on use of tree-fall gaps by birds in an isolated woodlot. *Auk* 103:328–340.
- Blake, J.G., and B.A. Loiselle. 1992. Fruits in the diets of Neotropical migrant birds in Costa Rica. *Biotropica* 24:200–210.
- Blenden, M.D., Armbruster, M.J., Baskett, T.S., and Farmer, A.H. 1986. Evaluation of model assumptions: the relationship between plant biomass and arthropod abundance. In: Verner, J., M.L. Morrison, and C.J. Ralph, editors. *Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates*. University of Wisconsin Press, Madison. p. 11–14.
- Block, W.M. and Brennan, L.A. 1993. The habitat concept in ornithology. *Current Ornithology* 11:35–91.
- Bohac, S.A., M.D. Lattig, and G.F. Tucker. 1997. Initial vegetative response to alternative thinning treatments in second growth Douglas-fir stands of the Central Oregon Cascades. The Evergreen State College. Olympia, WA. 47 p.
- Borror D.J., C.A. Triplehorn, and N.F. Johnson. 1989. *An introduction to the study of insects*. 6th ed. Saunders College Publishing, Philadelphia. 875 p.
- Borror D. J., and R.E. White. 1970. *A field guide to the insects of America north of Mexico*. Houghton Mifflin, Boston. 404 p.
- Braun D.M., B. Runcheng, D.C. Shaw, and M. VanScoy. 2002. Folivory of vine maple in an old-growth Douglas-fir -Western hemlock forest. *Northwest Science* 76:315–321.
- Brower, J.E., J.H. Zar, and C.N. von Ende. 1990. *Field and laboratory methods for general ecology*. 3rd ed. Wm. C. Brown Publishers, Dubuque, IA. 237 p.
- Brown, E.R., technical editor. 1985. *Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 2 – Appendices*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. Report R6-F&WL-192-1985. 302 p.
- Brush, T. and Stiles, E.W. 1986. Using food abundance to predict habitat use by birds. In: Verner, J., M.L. Morrison, and C.J. Ralph, editors. *Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates*. University of Wisconsin Press, Madison. p. 57–63.
- Bunnell, F.L. 1990. Reproduction of salal (*Gaultheria shallon*) under forest canopy. *Canadian Journal of Forest Research* 20: 91–100.
- Burhill, L.C., W.S. Braunworth, and R.D. William. 1989. *Pacific Northwest weed*

- control handbook. Agricultural Communications Report. Oregon State University, Extension Service, Corvallis. 276 p.
- Burnham, K.P., and D.R. Anderson. 2002. Model selection and multimodel inference: a practical information-theoretic approach. 2nd ed. Springer-Verlag, New York. 488 p.
- Carey, A.B. 1991. The biology of arboreal rodents in Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. General Technical Report PNW-276. 46 p.
- Carey, A.B. 2000. Effects of new forest management strategies on squirrel populations. *Ecological Applications* 10: 248–257.
- Carey, A.B., M.M. Hardt, S.P. Horton, and B.L. Biswell. 1991. Spring bird communities in the Oregon Coast Range. In: Ruggiero, L.F., K.B. Aubry, A.B. Carey, and M.H. Huff, technical coordinators. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. General Technical Report PNW-GTR-285. p. 123–142.
- Carey, A.B., D.R. Thysell, L.J. Villa, S.M. Wilson, J.M. Trappe, W. Colgan III, E.R. Ingham, and M. Holmes. 1996. Foundations of biodiversity in managed Douglas-fir forests. In: Peterson, D.L., and C.V. Klimas, editors. The role of restoration in ecosystem management. Society for Ecological Restoration, Madison, WI. p. 68–82.
- Carey, A.B., B.R. Lippke, and J. Sessions. 1999a. Intentional systems management: managing forests for biodiversity. *J. Sustainable Forestry* 9:83–125.
- Carey, A.B., D.R. Thysell, and A.W. Brodie. 1999b. The forest ecosystem study: background, rationale, implementation, baseline conditions, and silvicultural assessment. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, OR. General Technical Report PNW-GTR-457. 129 p.
- Carey, A.B. and S.M. Wilson. 2001. Induced spatial heterogeneity in forest canopies: Responses of small mammals. *Journal of Wildlife Management* 65:1014–1027.
- Chambers, C.L. 1996. Response of terrestrial vertebrates to three silvicultural treatments in the central Oregon Coast Range. Ph.D. dissertation, Oregon State University, Corvallis. 213 p.
- Chambers, C.L., W.C. McComb, and J.C. Tappeiner. 1999. Breeding bird responses to three silvicultural treatments in the Oregon Coast Range. *Ecological Applications* 9:171–185.

- Cody, M.L. 1985. Habitat selection in birds. Academic Press, New York. 558 p.
- Coley, P.D., J.P. Bryant, and F.S. Chapin III. 1985. Resource availability and plant antiherbivore defense. *Science* 230:895–899.
- Cooper, R.J., and R.C. Whitmore. 1990. Arthropod sampling methods in ornithology. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr., editors. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13:29–37.
- Crane M. F. 1989. *Sambucus racemosa* ssp. *pubens*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available at: <http://www.fs.fed.us/database/feis/>. Accessed: 10/13/03.
- Crane M. F. 1990. *Pteridium aquilinum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available at: <http://www.fs.fed.us/database/feis/>. Accessed: 10/13/03.
- Curtis, R.O., D.S. DeBell, C.A. Harrington, D.P. Lavender, J.B. St. Clair, J.C. Tappeiner II, and J.D. Walstad. 1998. Silviculture for multiple objectives in the Douglas-fir region. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, OR. General Technical Report PNW-GTR-435. 123 p.
- Davies, N.B. 1977. Prey selection and the search strategy of the Spotted Flycatcher (*Muscicapa striata*): a field study on optimal foraging. *Animal Behavior* 25:1016–1033.
- DeBell, D.S., R.O. Curtis, C.A. Harrington, and J.C. Tappeiner II. 1997. Shaping stand development through silvicultural practices. Island Press, Washington, D.C. p. 141–149.
- Del Rio, E. and A. Berg. 1979. Growth of Douglas-fir reproduction in the shade of a managed forest. Forest Research Laboratory, Oregon State University. Research Paper 40. 14 p.
- Dillingham C. 2003. Orange-crowned warbler *Vermivora celata*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. *Birds of Oregon: a general reference*. Oregon State University Press, Corvallis. p. 503–505.
- Doolittle, A.M. 2000. Arthropod communities on understory plants in thinned and unthinned Douglas-fir forests in the Oregon Coast Range. M.S. thesis, Oregon State University, Corvallis. 88 p.

- Dowlan, S. G. 2003a. MacGillivray's warbler *Oporornis tomiei*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. Birds of Oregon: a general reference. Oregon State University Press, Corvallis. p. 522–524.
- Dowlan, S. G. 2003b. Townsend's solitaire *Myadestes townsendi*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. Birds of Oregon: a general reference. Oregon State University Press, Corvallis. p. 478–480.
- Eckhardt, R.C. 1979. The adaptive syndromes of two guilds of insectivorous birds in the Colorado Rocky Mountains. *Ecological Monographs* 49:129–149.
- Edwards, P.J., and S.D. Wratten. 1980. Ecology of insect-plant interactions. Institute of Biology's studies in biology no. 121. London, UK, Edward Arnold Limited. 60 p.
- Eisner, T. 1970. Chemical defense against predation in arthropods. In: Sondheimer, E., and J.B. Simeone, editors. Chemical ecology. Academic Press, New York. p. 157–217.
- Emmingham, W. H. 1972. Conifer growth and plant distribution under different light environments in the Siskiyou Mountains of southwestern Oregon. M.S. thesis. Oregon State University, Corvallis. 50 p.
- Erlich, P.R., D.S. Dobkin, and D. Wheye. 1988. The birders handbook. Simon & Schuster Inc., New York. 785 p.
- Fales, S.L. 1984. Influence of temperature on chemical composition and in vitro dry matter disappearance of normal and low tannin *Sericea lespedeza*. *Can. J. Plant Sci.* 64: 637–642.
- Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available at: <http://www.fs.fed.us/database/feis/>. Accessed: 1/15/04.
- Franklin, J.F., K. Cromack, Jr., W. Denison, A. McKee, C. Maser, J. Sedell, F.J. Swanson, and G. Juday. 1981. Ecological characteristics of old growth Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. Portland, OR. General Technical Report PNW-118. 48 p.
- Franklin, J.F. and C.T. Dyrness. 1988. The natural vegetation of Oregon and Washington. Oregon State University Press, Corvallis. 452 p.
- Franklin, J.F. and T.A. Spies. 1991. Composition, function, and structure of old-growth Douglas-fir forests. In: Ruggiero, L.F., K.B. Aubry, A.B. Carey, and M.H. Huff,

- technical coordinators. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. General Technical Report PNW-GTR-285. p. 71–82.
- Franklin, J.F., T.A. Spies, D. Perry, M. Harmon, and A. McKee. 1986. Modifying Douglas-fir management regimes for non-timber objectives. In: Oliver, C.D., D.P. Hanley, and J.A. Johnson, editors. Institute of Forest Resources Contribution no. 55. University of Washington, Seattle. p. 373–379.
- Furniss, R.L., and V.M. Carolin. 1977. Western forest insects. U.S. Department of Agriculture, Forest Service, Miscellaneous Publication No. 1339. 654 p.
- Garshelis, D.L. 2000. Delusions in habitat evaluation: Measuring use, selection, and importance. In: Boitani, L., and T.K. Fuller, editors. Research techniques in animal ecology. Columbia University Press, New York. p. 111–164.
- Gerson, U., and M.R.D. Seaward. 1977. Lichen-invertebrate associations. In: Seaward, M.R.D., editor. Lichen ecology. Academic Press, London. p. 69–119.
- Gill, F.B. 1994. Ornithology. 2nd ed. W.H. Freeman and Company, New York. 766 p.
- Gowing, G., and H.F. Recher. 1984. Length-weight relationships for invertebrates from forests in south-eastern New South Wales. Australian Journal of Ecology 9:5–8.
- Graber, J.W., and R.R. Graber. 1983. Feeding rates of warblers in spring. Condor 85: 139–150.
- Hagar, D.C. 1960. The interrelationships of logging, birds, and timber regeneration in the Douglas-fir region of northwestern California. Ecology 41:116–125.
- Hagar, J.C. 1992. Bird communities in commercially thinned and unthinned Douglas-fir stands of western Oregon. M.S. thesis. Oregon State University, Corvallis. 110 p.
- Hagar, J.C., W.C. McComb, and W.H. Emmingham. 1996. Bird communities in commercially thinned and unthinned Douglas-fir stands of western Oregon. Wildlife Society Bulletin. 24:353–366.
- Hagar, J.C. 2003a. Swainson's thrush *Catharus ustulatus*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. Birds of Oregon: a general reference. Oregon State University Press, Corvallis. p. 481–483.
- Hagar, J.C. 2003b. Wilson's warbler *Wilsonia pusilla*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. Birds of Oregon: a general reference. Oregon State University Press, Corvallis. p. 526–528.

- Hagar, J.C. 2003c. Hammond's flycatcher *Empidonax hammondi*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. Birds of Oregon: a general reference. Oregon State University Press, Corvallis. p. 381–383.
- Hagar, J.C. and Howlin S. submitted. Short-term response of songbirds to experimental thinning of young Douglas-fir forests in the Oregon Cascades. submitted to Forest Ecology and Management.
- Halaj J., D.W. Ross, and A.R. Moldenke. 1998. Habitat structure and prey availability as predictors of the abundance and community organization of spiders in western Oregon forest canopies. The Journal of Arachnology 26:203–220.
- Hall, F.C., L.W. Brewer, J.F. Franklin, and R.L. Werner. 1985. Plant communities and stand conditions. In: Brown, E.R., technical editor. Management of wildlife and fish habitats in forests of western Oregon and Washington. Part 1: Chapter narratives. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. Publication R6-F&WL-192-1985. p. 17–31.
- Halpern, C.B. and T.A. Spies. 1995. Plant species diversity in natural and managed forests of the Pacific Northwest. Ecological Applications 5:913–934.
- Hammond, P.C., and J.C. Miller. 1998. Comparison of the biodiversity of lepidoptera within three forested ecosystems. Annals of the Entomological Society of America 91: 323–328.
- Hansen, A.J., T.A. Spies, F.J. Swanson, and J.L. Ohmann. 1991. Conserving biodiversity in managed forests. BioScience 41:382–391.
- Hansen, A.J., W.C. McComb, R. Vega, M.G. Raphael, and M. Hunter. 1995. Bird habitat relationships in natural and managed forests in the west Cascades of Oregon. Ecological Applications 5:555–569.
- Hanski, I.K., T.J. Fenske, and G.J. Niemi. 1996. Lack of edge effect in nesting success of breeding birds in managed forest landscapes. Auk 113:578–585.
- Happe, P.J., K.J. Jenkins, E.E. Starkey, and S.H. Sharrow. 1990. Nutritional quality and tannin astringency of browse in clear-cuts and old-growth forests. Journal of Wildlife Management 54:557–566.
- Harmon, M.E., and J.F. Franklin. 1986. Tree seedlings on logs in *Picea-Tsuga* forests of Oregon and Washington. Ecology 70:48–59.
- Harrington C.A., K.R. Buermyer, L.C. Brodie, and B.W. Wender. 2002. Factors influencing growth and flowering of understory plants in conifer stands in western Washington. In: Johnson A.C., R.W. Haynes, and R.A. Monserud, editors. Congruent management of multiple resources: proceedings from the

Wood Compatibility Initiative workshop. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General Technical Report. PNW-GTR-563. p. 159–168.

- Harris, L.D. 1984. The fragmented forest: island biogeographic theory and the preservation of biotic diversity. University of Chicago Press, Chicago. 211 p.
- Haveri, B.A., and A.B. Carey. 2000. Forest management strategy, spatial heterogeneity, and winter birds in Washington. *Wildlife Society Bulletin* 28:643–652.
- Hayes, J.P., S.S. Chan, W.H. Emmingham, J.C. Tappeiner II, L.D. Kellogg, and J.D. Bailey. 1997. Wildlife response to thinning young forests in the Pacific Northwest. *Journal of Forestry* 95:28–33.
- Hayes J.P., J.M. Weikel, and M. Huso. 2003. Effects of commercial thinning on breeding birds in the northern Coast Range of Oregon. *Ecological Applications* 13:1222–1232.
- Heinrich, B., and S.L. Collins. 1983. Caterpillar leaf damage and the game of hide-and-seek with birds. *Ecology* 64:592–602.
- Hejl, S.J., J. Verner, and G.W. Bell. 1990. Sequential versus initial observations in studies of avian foraging. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr., editors. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13:161–165.
- Hilden, O. 1965. Habitat selection in birds: a review. *Annales Zoologici Fennici* 2:53–75.
- Hobson, K.A., and E. Bayne. 2000. Breeding bird communities in boreal forest of western Canada: consequences of "unmixing" the mixedwoods. *Condor* 102:759–769.
- Hodar, J. 1996. The use of regression equations for the estimation of arthropod biomass in ecological studies. *Acta Oecologica* 17:421–433.
- Holmes, R.T. 1981. Theoretical aspects of habitat use by birds. In: Capen, D.E., editor. *The use of multivariate statistics in studies of wildlife habitat*. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO. General Technical Report RM-87. p. 33–37.
- Holmes, R.T. 1990. Ecological and evolutionary impacts of bird predation on forest insects: an overview. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr., editors. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13:6–13.

- Holmes, R.T., and S.K. Robinson. 1981. Tree species preferences of foraging insectivorous birds in a northern hardwoods forest. *Oecologia* 48:31–35.
- Holmes, R.T., and S.K. Robinson. 1988. Spatial patterns, foraging tactics, and diets of ground-foraging birds in a northern hardwoods forest. *Wilson Bulletin* 100:377–394.
- Holmes, R.T., and J.C. Schultz. 1988. Food availability for forest birds: effects of prey distribution and abundance on bird foraging. *Canadian Journal of Zoology* 66:720–728.
- Holmes R.T., J.C. Schultz, and P. Nothnagle. 1979. Bird predation on forest insects: an enclosure experiment. *Science* 206:462–463.
- Huffman D.W., and J.C. Tappeiner II. 1997. Clonal expansion and seedling recruitment of Oregon grape (*Berberis nervosa*) in Douglas-fir (*Pseudotsuga menziesii*) forests: comparisons with salal (*Gaultheria shallon*). *Canadian Journal of Forest Research* 27:1788–1793.
- Huffman D.W., J.C. Tappeiner II, and J.C. Zasada. 1994. Regeneration of salal (*Gaultheria shallon*) in the central Coast Range forests of Oregon. *Canadian Journal of Botany* 72:39–5.
- Humphrey, J.W., C. Hawes, A.J. Peace, R. Ferris-Kaan, and M.R. Jukes. 1999. Relationships between insect diversity and habitat characteristics in plantation forests. *Forest Ecology and Management* 113:11–21.
- Hutto, R.L. 1980. Winter habitat distribution of migratory land birds in western Mexico, with special reference to small, foliage-gleaning insectivores. In: Keast, A., and E.S. Morton, editors. *Migrant birds in the Neotropics: ecology, behavior, distribution, and conservation*. Smithsonian Institution Press, Washington, D.C. p. 181–203.
- Hutto, R.L. 1981a. Seasonal variation in the foraging behavior of some migratory western wood warblers. *Auk* 98:765–777.
- Hutto, R.L. 1981b. Temporal patterns of foraging activity in some wood warblers in relation to the availability of insect prey. *Behavioral Ecology and Sociobiology* 9:195–198.
- Hutto, R.L. 1990. Measuring the availability of food resources. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr., editors. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13:20–28.
- Jackson, J.A. 1979. Tree surfaces as foraging substrates for insectivorous birds. In: Dickson, J.G., R.N. Conner, R.R. Fleet, J.C. Kroll, and J.A. Jackson, editors.

- The role of insectivorous birds in forest ecosystems. Academic Press, New York. p. 69–93.
- Jarosik, V. 1989. Mass vs. length relationship for carabid beetles (Col., Carabidae). *Pedobiologia* 33:87–90.
- Johnson, D.H. 1980. The comparison of usage and availability measurements for evaluating resource preference. *Ecology* 61:65–71.
- Jokimaki, J., E. Huhta, J. Itamies, and P. Rahko. 1998. Distribution of arthropods in relation to forest patch size, edge, and stand characteristics. *Canadian Journal of Forest Research* 28:1068–1072.
- Karr, J.R., and R.R. Roth. 1971. Vegetation structure and avian diversity in several New World areas. *The American Naturalist* 105:423 – 435.
- Kennedy, R.S.H. and Spies, T.A. In review. Spatial pattern and dynamics of hardwood patches in a multi-ownership landscape in the Coast Range of Oregon. *Biological Conservation*.
- Kerns, B.K., S.J. Alexander, and J.D. Bailey. In press. Huckleberry abundance, stand conditions and use in western Oregon: evaluating the role of forest management. *Economic Botany*.
- Ketchum, S.J. 1994. Douglas-fir, grand fir and plant community regeneration in three silvicultural systems in western Oregon. M.S. thesis. Oregon State University, Corvallis. 111 p.
- Kim, K.C. 1993. Biodiversity, conservation, and inventory: why insects matter. *Biodiversity and Conservation* 2: 91–214.
- Kleintjes, P.K. and D.L. Dahlsten, 1992. A comparison of three techniques for analyzing the arthropod diet of plain titmouse and chestnut-backed chickadee nestlings. *Journal of Field Ornithology* 63:276–285.
- Klinka, K., H.Y.H. Chen, Q. Wang, and L. de Montigny. 1996. Forest canopies and their influence on understory vegetation in early seral stands on West Vancouver Island. *Northwest Science* 70:193–200.
- Klinka, K., V.J. Krajina, A. Ceska, and A.M. Scagel. 1989. Indicator plants of coastal British Columbia. University of British Columbia Press, Vancouver. 288 p.
- Kohm, K.A., and J.F. Franklin. 1997. Creating a forestry for the 21st century. Island Press, Washington, D.C. 475 p.
- Koike, F., S. Riswan, T. Partomihardjo, E. Suzuki, and M. Hotta. 1998. Canopy

structure and insect community distribution in a tropical rain forest of west Kalimantan. *Selbyana* 19:147–154.

Krebs, J.R. 1978. Optimal foraging: decision rules for predators. In: Krebs, J.R., and N.B. Davies, editors. *Behavioural ecology: an evolutionary approach*. Blackwell Scientific, Oxford. 494 p.

Krebs, C.J. 1989. *Ecological methodology*. Harper & Row, New York. 654 p.

Langelier, L.A., and E.O. Garton. 1986. Management guidelines for increasing populations of birds that feed on western spruce budworm. U.S. Department of Agriculture. Handbook 653. Washington D.C.

Lawton J. H. 1976. The structure of the arthropod community on bracken. *Botanical Journal of the Linnean Society* 73: 187–216.

Lawton, J. H. 1983. Plant architecture and the diversity of phytophagous insects. *Annual Review of Entomology* 28:23–39.

MacArthur, R.H., and J.W. MacArthur. 1961. On bird species diversity. *Ecology* 42:594 – 598.

Mack, D.E., and W. Yong. 2000. Swainson's thrush (*Catharus ustulatus*). In: Poole, A., and F. Gill, editors. *The birds of North America*. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, DC. 30 p.

Manly, B., L. McDonald, and D. Thomas. 1993. *Resource selection by animals: statistical design and analysis for field studies*. Chapman & Hall, London. 175 p.

Manning, T., C.C. Maguire, K.M. Jacobs, and D.L. Luoma. 2003. Additional habitat, diet and range information for the white-footed vole (*Arborimus albipes*). *American Midland Naturalist* 150:115–122.

Manuwal, D.A., and N. Palazzotto. 2003. Bird community responses to thinning in coniferous forests at Fort Lewis, Washington. Unpublished Annual Report, College of Forest Resources, University of Washington, Seattle. 51 p.

Marcot, B.G., and M. Vander Heyden. 2001. Key ecological functions of wildlife species. In: Johnson, D.H., and T.A. O'Neil, managing directors. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis. p. 168–183.

Marshall, D., M. Hunter, and A. Contreras. 2003. *The Birds of Oregon: A General Reference*. Oregon State University Press, Corvallis, OR. 752 p.

- Martin, T.E. 1985. Selection of second-growth woodlands by frugivorous migrating birds in Panama: an effect of fruit size and plant density? *Journal of Tropical Ecology* 1:157–170.
- Martin, T.E. 1987. Food as a limit on breeding birds: a life-history perspective. *Annual Review of Ecology and Systematics* 18:453–487.
- Marquis, R.J., and C.J. Whelan. 1994. Insectivorous birds increase growth of white oak through consumption of leaf-chewing insects. *Ecology* 75:2007–2014.
- McAllister, D.C., R.W. Holloway, and M.W. Schnee. 1999. Using landscape design principles to promote biodiversity in a managed forest. In: Rochelle, J.A., L.A. Lehmann, and J. Wisniewski, editors. *Forest fragmentation: wildlife and management implications*, Brill, Leiden, The Netherlands. p. 247–270.
- McComb, W.C., T.A. Spies, and W.H. Emmingham. 1993. Douglas-fir forests: managing for timber and mature-forest habitat. *Journal of Forestry* 91:31–42.
- Minore, D. 1984. *Vaccinium membranaceum* berry production seven years after treatment to reduce overstory tree canopies. *Northwest Science* 58:208–212.
- Moldenke, A.R., B.L. Fichter, W.P. Stephen, and C.E. Griswold. 1987. A Key to arboreal spiders of Douglas-fir and true fir forests of the Pacific Northwest. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General Technical Report PNW-GTR-207. 48 p.
- Morrison, M.L. 1981. The structure of western warbler assemblages: analysis of foraging behavior and habitat selection in Oregon. *Auk* 98:578–588.
- Morrison, M.L. and E.C. Meslow. 1983. Bird community structure on early-growth clearcuts in western Oregon. *American Midland Naturalist* 110:129–137.
- Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr. 1990. Avian foraging: theory, methodology, and applications. *Studies in Avian Biology* 13. 515 p.
- Morse, D. 1985. Habitat selection in North American parulid warblers. In: Cody, M.L. *Habitat selection in birds*. Academic Press, New York. p. 131–157.
- Murakami, M., and S. Nakano. 2000. Species specific bird functions in a forest-canopy food web. *Proceedings of the Royal Society of London* 267:1597–1601.
- Muir, P.S., R.L. Mattingly, J.C. Tappeiner II, J.D. Bailey, W.E. Elliot, J.C. Hagar, J.C. Miller, E.B. Peterson, and E.E. Starkey. 2002. Managing for biodiversity in young Douglas-fir forests of western Oregon. U.S. Geological Survey - Biological Resources Division, Biological Science Report USGS/BRD/BSR-2002-0006. 76 p.

- Naeem, S., L.J. Thompson, S.P. Lawler, J.H. Lawton, and R.M. Woodfin. 1994. Declining biodiversity can alter the performance of ecosystems. *Nature* 368:734–737.
- Nehls, H.B. 2003. Western tanager *Piranga ludoviciana*. In: Marshall, D.B., M.G. Hunter, and A. Contreras, editors. *Birds of Oregon: a general reference*. Oregon State University Press, Corvallis. p. 531–532.
- Neitlich, P.N. 1993. Lichen abundance and biodiversity along a chronosequence from young managed stands to ancient forest. M.S. thesis, University of Vermont, Burlington.
- Noon, B.R. and W.M. Block. 1990. Analytical considerations for study design. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13. p. 126–133.
- Noss, R.F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. *Conservation Biology* 4: 355–364.
- Nyberg, J.B., A.S. Harestad, and F.L. Bunnell. 1987. “Old-growth” by design: Managing young forests for old-growth wildlife. *Transactions of the North American Wildlife and Natural Resources Conference*. 52:70–81.
- Nyland, R.D. 1996. *Silviculture: concepts and applications*. McGraw-Hill, New York. 633 p.
- O'Dea M.E., J.C. Zasada and J.C. Tappeiner II. 1995. Vine maple clone growth and reproduction in managed and unmanaged coastal Oregon Douglas-fir forests. *Ecological Applications* 5:63–73.
- Oboyski P.T. 1996. Macroarthropod communities on vine maple, red alder and Sitka alder along riparian zones in the central western Cascade Range, Oregon. M.S. thesis, Oregon State University, Corvallis. 49 p.
- Old-Growth Definition Task Group. 1986. Interim definitions for old-growth Douglas-fir and mixed-conifer forests in the Pacific Northwest and California. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. Research Note PNW-447.
- Oliver, C.D. and Larson, B.C. 1990. *Forest stand dynamics*. McGraw-Hill, Inc., New York. 467 p.
- Opler, P.A., H. Pavulaan, and R.E. Stanford. 1995. *Butterflies of North America*. [Online]. Available: <http://www.npwrc.usgs.gov/resource/distr/lepid/bflyusa/>. Accessed 10/22/03.

- Oregon Department of Forestry. 2001. Oregon Forest Practices Act. [Online]. Available: <http://www.leg.state.or.us/ors/527.html>. Accessed 1/15/04.
- Otvos, I.S. 1979. The effects of insectivorous bird activities in forest ecosystems: an evaluation. In: Dickson, J.G., R.N. Conner, R.R. Fleet, J.C. Kroll, and J.A. Jackson, editors. The role of insectivorous birds in forest ecosystems. Academic Press, New York. p. 341–374.
- Otvos, I.S. and R.W. Stark. 1985. Arthropod food of some forest-inhabiting birds. The Canadian Entomologist 117: 971–990.
- Parrish J. D. 1997. Patterns of frugivory and energetic condition in nearctic landbirds during autumn migration. Condor 99:681–697.
- Parsons, G.L., G. Cassis, A.R. Moldenke, J.D. Lattin, N.H. Anderson, J.C. Miller, P. Hammond, and T.D. Schowalter. 1991. Invertebrates of the H.J. Andrews Experimental Forest, Western Cascade Range, Oregon. V. An annotated list of insects and other arthropods. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General Technical Report PNW-GTR-290. 168 p.
- Perry, D.A. 1998. The scientific basis of forestry. Annual Review of Ecology and Systematics 29: 435–466.
- Pettersson, R.B., J.P. Ball, K.-E. Renhorn, P.-A. Esseen, and K. Sjoberg. 1995. Invertebrate communities in boreal forest canopies as influenced by forestry and lichens with implications for passerine birds. Biological Conservation 74:57–63.
- Pitocchelli J. 1995. MacGillivray's warbler (*Oporornis tolmiei*). In: Poole, A., and F. Gill, editors. The birds of North America. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, DC. 16 pp.
- Pojar J. and A. MacKinnon. 1994. Plants of the Pacific Northwest coast: Washington, Oregon, British Columbia, and Alaska. Lone Pine Publishing, Vancouver. 527 p.
- Raley, C.M. and S.H. Anderson. 1990. Availability and use of arthropod food resources by Wilson's warblers and Lincoln's sparrows in southeastern Wyoming. Condor 92:141–150.
- Ralph C.P., S.E. Nagata and C.J. Ralph. 1985. Analysis of droppings to describe diets of small birds. Journal of Field Ornithology 56:165–174.
- Recher, H.F., J.D. Majer, and H.A. Ford. 1991. Temporal and spatial variation in the abundance of eucalypt canopy invertebrates: the response of forest birds. Acta XX Congressus Internationalis Ornithologici 3:1568–1575.

- Reynolds, R.T., J.M. Scott, and R.A. Nussbaum. 1980. A variable circular-plot method for estimating bird numbers. *Condor* 82:309–313.
- Robinson, S.K., and R.T. Holmes. 1982. Foraging behavior of forest birds: the relationships among search tactics, diet, and habitat structure. *Ecology* 63:1918–1931.
- Robinson, S.K., and R.T. Holmes. 1984. Effects of plant species and foliage structure on the foraging behavior of forest birds. *Auk* 101:672–684.
- Rogers, L.E., R.L. Buschbom, and C.R. Watson. 1977. Length weight relationships of shrub-steppe invertebrates. *Annals of the Entomological Society of America* 70: 51–53.
- Rose, C.L., B.G. Marcot, T.K. Mellen, J.L. Ohmann, K.L. Wadell, D.L. Lindley, B. Schreiber. 2001. Decaying wood in Pacific Northwest forests: concepts and tools for habitat management. In: Johnson, D.H., and T.A. O'Neil, managing directors. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis. p. 580–623.
- Rosenberg K.V., and R.J. Cooper. 1990. Approaches to avian diet analysis. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr., editors. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13:80–90.
- Rosso, A.L. 2000. Shrub epiphyte communities in relation to stand management in forests of western Oregon. Ph.D. dissertation, Oregon State University, Corvallis. 125 p.
- Royama, T. 1970. Factors governing the hunting behavior and selection of food by the great tit. *Journal of Animal Ecology* 39:619–668.
- Ruggiero, L.F., K.B. Aubry, A.B. Carey, and M.H. Huff. 1991. *Wildlife and vegetation of unmanaged Douglas-fir forests*. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. General Technical Report PNW-GTR-285. 533 p.
- Sample, B.E., R.J. Cooper, and R.C. Whitmore. 1993. Dietary shifts among songbirds from a diflubenzuron-treated forest. *Condor* 95:616–624.
- Sauer, J.R., J.E. Hines, and J. Fallon. 2003. The North American Breeding Bird Survey, Results and Analysis 1966 – 2002. Version 2003.1. [Online]. Available: <http://www.mbr-pwrc.usgs.gov/bbs/bbs.html>. Accessed 9/28/03.
- Schmiegelow, F.K.A. 1997. The effect of experimental fragmentation on bird community dynamics in the boreal mixedwood forest. Ph.D. dissertation. University of British Columbia, Vancouver. 140 p.

- Schoener, T.W. 1980. Length-weight regressions in tropical and temperate forest-understory insects. *Annals of the Entomological Society of America* 73:106–109.
- Schowalter, T.D. 1985. Adaptations of insects to disturbance. In: Pickett, S.T.A., and P.S. White, editors. *The ecology of natural disturbance and patch dynamics*. Academic Press, New York. p. 235–252.
- Schowalter, T.D. 1995. Canopy invertebrate community response to disturbance and consequences of herbivory in temperate and tropical forests. *Selbyana* 16: 41 – 48.
- Schowalter, T.D. 2000. *Insect ecology: an ecosystem approach*. Academic Press, San Diego. 483 p.
- Schowalter, T.D., and D.A. Crossley, Jr. 1983. Forest canopy arthropods as sodium, potassium, magnesium and calcium pools in forests. *Forest Ecology and Management* 7:143–148.
- Schowalter, T.D., and L.M. Ganio. 1988. Vertical and seasonal variation in canopy arthropod communities in an old-growth conifer forest in southwestern Washington, USA. *Bulletin of Entomological Research* 88:633–640.
- Schowalter, T.D., W.W. Hargrove, and D.A. Crossley, Jr. 1986. Herbivory in forested ecosystems. *Annual Review of Entomology* 31:177 – 196.
- Schulze, E.D. and H.A. Mooney, editors. 1993. *Biodiversity and ecosystem function*. Springer-Verlag, New York. 525 p.
- Shattuck, S.O. 1985. Illustrated key to ants associated with western spruce budworm. U.S. Department of Agriculture, Forest Service. *Agricultural Handbook No. 632*. 36 p.
- Sherry, T.W., and L.A. McDade. 1982. Prey selection and handling in two Neotropical hover-gleaning birds. *Ecology* 63:1016–1028.
- Shure, D.J., and D.L. Phillips. 1991. Patch size of forest openings and arthropod populations. *Oecologia* 86:325–334.
- Smith, T.M., and H.H. Shugart. 1987. Territory size variation in the ovenbird: the role of habitat structure. *Ecology* 68:695–704.
- Southwood, T.R.E., V.K. Brown, and P.M. Reader. 1979. The relationships of plant and insect diversities in succession. *Biological Journal of the Linnean Society* 12:327– 348.

- Spies, T.A. 1991. Plant species diversity and occurrence in young, mature, and old-growth Douglas-fir stands in western Oregon and Washington. In: Ruggiero, L.F., K.B. Aubry, A.B. Carey, and M.H. Huff, technical coordinators. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. General Technical Report PNW-GTR-285. p. 111–121.
- Spies, T.A., and J.F. Franklin. 1989. Gap characteristics and vegetation response in coniferous forests of the Pacific Northwest. *Ecology* 70: 543–545.
- Spies, T.A., and J.F. Franklin. 1991. The structure of natural young, mature, and old-growth Douglas-fir forests in Oregon and Washington. In: Ruggiero, L.F., K.B. Aubry, A.B. Carey, and M.H. Huff, technical coordinators. Wildlife and vegetation of unmanaged Douglas-fir forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. Portland, OR. General Technical Report PNW-GTR-285. p. 91–110.
- Steel, R.G.D., and J.H. Torrie. 1980. Principles and procedures of statistics: a biometrical approach. 2nd ed. McGraw-Hill, Inc., New York, NY. 633 p.
- Steidl, R.J., J.P. Hayes, and E. Schaubert. 1997. Statistical power analysis in wildlife research. *Journal of Wildlife Management* 61:270–279.
- Stewart, R.M., R.P. Henderson, and K. Darling. 1977. Breeding ecology of the Wilson's warbler in the high Sierra Nevada, California. *Living Bird* 16:83–102.
- Stoszek, K. J., P.G. Mika, J.A. Moore, and H.L. Osborne. 1981. Relationships of Douglas-fir tussock moth defoliation to site and stand characteristics in northern Idaho. *Forest Science* 27:431–442.
- Strong, D.R., and J.H. Lawton. 1984. Interactions involving plants. In: Strong, D.R., and J.H. Lawton, and R. Southwood, editors. *Insects on plants: community patterns and mechanisms*. Harvard University Press, Cambridge, MA.
- Tappeiner II, J.C., J.C. Zasada, P. Ryan, and M. Newton. 1991. Salmonberry clonal and population structure: the basis for persistent cover. *Ecology* 72:609–618.
- Tappeiner, J.C., and J.C. Zasada 1993. Establishment of salmonberry, salal, vine maple, and bigleaf maple seedlings in the coastal forests of Oregon. *Canadian Journal of Forest Research* 23:1775–1780.
- Tappeiner, J.C., D. Huffman, D. Marshall, and T.A. Spies. 1997a. Density, ages, and growth rates in old-growth and young-growth forests in coastal Oregon. *Canadian Journal of Forest Research* 27:638–648.

- Tappeiner, J.C., D.P. Lavender, J.D. Walstad, R.O. Curtis, and D.S. DeBell. 1997b. Silvicultural systems and regeneration methods: Current practices and new alternatives. In: Kohm, K.A., and J.F. Franklin, editors. *Creating a Forest for the 21st Century: the Science of Ecosystem Management*. Island Press, Washington, D.C. p. 151–164.
- Tappeiner II, J.C., Emmingham, W.H., and Hibbs, D.E. 2002. Silviculture of Oregon Coast Range forests. In: Hobbs, S.D., J.P. Hayes, R.L. Johnson, G.H. Reeves, T.A. Spies, J.C. Tappeiner II, G.E. Wells, editors. *Forest and stream management in the Oregon Coast Range*. Oregon State University Press, Corvallis, OR. p. 172–190.
- Temple, S.A. 1997. Chapter 5. In: Boyce, M.S., and A. Haney, editors. *Ecosystem management: applications for sustainable forest and wildlife resources*. Yale University Press, New Haven, CT.
- Thomas, S.C., C.B. Halpern, D.A. Falk, D.A. Liguori, and K.A. Austin. 1999. Plant diversity in managed forests: understory responses to thinning and fertilization. *Ecological Applications* 9:864–879.
- Thysell D. R., and A.B. Carey. 2000. Effects of forest management on understory vegetation: a retrospective study. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Olympia, WA. General Technical Report PNW-GTR-488. 41 p.
- Tilman, D., and J.A. Downing, 1994. Biodiversity and stability in grasslands. *Nature* 367:363–365.
- Torgersen, T.R., R.R. Mason, and R.W. Campbell. 1990. Predation by birds and ants on two forest insect pests in the Pacific Northwest. In: Morrison, M.L., C.J. Ralph, J. Verner, and J.R. Jehl, Jr., editors. *Avian foraging: theory, methodology, and applications*. *Studies in Avian Biology* 13:14–19.
- Towle, J.C. 1982. Changing geography of Willamette Valley woodlands. *Oregon Historical Quarterly* 83:66–87.
- Uchytel, R.J. 1989. *Acer circinatum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available at: <http://www.fs.fed.us/database/feis/>. Accessed: 10/13/03.
- USDA, and USDI. 1994. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl and standards and guidelines of management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. U.S. Department of Agriculture, Forest Service and U.S.

- Department of the Interior, Bureau of Land Management, Washington, D.C. 191 p.
- Van Horne, B. 1983. Density as a misleading indicator of habitat quality. *Journal of Wildlife Management* 47:893–901.
- Van Horne, B., and A. Bader. 1990. Diet of nestling winter wrens in relationship to food availability. *Condor* 92:413–420.
- Vance, N., M. Borsting, D. Pilz, and J. Freed. 2001. Special forest products: species information guide for the Pacific Northwest. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. General Technical Report PNW-GTR-513. 169 p.
- Verner, J., M.L. Morrison, and C.J. Ralph. 1986. *Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates*. University of Wisconsin Press, Madison, WI. 470 p.
- Voegtlin, D.J. 1982. Invertebrates of the H.J. Andrews Experimental Forest, western Cascade Mountains, Oregon: a survey of arthropods associated with the canopy of old-growth *Pseudotsuga menziesii*. Forest Research Laboratory, Oregon State University, Corvallis. Special Publication 4. 31 p.
- Walstad, J.D. and Kuch, P.J. 1987. *Forest vegetation management for conifer production*. John Wiley and Sons, New York. 523 p.
- Weikel, J.M., and J.P. Hayes. 1999. The foraging ecology of cavity-nesting birds in young forests of the northern Coast Range of Oregon. *Condor* 101:58–66.
- Whelan, C.J. 1989. Avian foliage structure preferences for foraging and the effect of prey biomass. *Animal Behavior* 38:839–846.
- Whitaker, D.M., A.L. Carroll, and W.A. Montevecchi. 2000. Elevated numbers of flying insects and insectivorous birds in riparian buffer strips. *Canadian Journal of Zoology* 78:740–747.
- White D.W., and E.W. Stiles. 1990. Co-occurrence of foods in the stomachs and feces of fruit-eating birds. *Condor* 92:291–303.
- Wiens, J.A. 1989. *The ecology of bird communities. Volume 2: processes and variations*. Cambridge University Press, Cambridge, MA. 316 p.
- Wiens, J.A., and J.T. Rotenberry. 1981. Habitat associations and community structure of birds in shrubsteppe environments. *Ecological Monographs* 51:21–41.
- Wiens, J.A., F. Addicott, T.J. Case, and J. Diamond. 1986. Overview: the importance of

- spatial and temporal scale in ecological investigations. In: Diamond, J., and T.J. Case, editors. Community ecology. Harper & Row Publishers, New York. p. 145–153.
- Willson, M.F. 1974. Avian community organization and habitat structure. *Ecology* 55:1017–1029.
- Willson, M.F., and T.A. Comet. 1996a. Bird communities of northern forests: ecological correlates of diversity and abundance in the understory. *Condor* 98:350–362.
- Willson, M.F., and T.A. Comet 1996b. Bird communities of northern forests: patterns of diversity and abundance. *Condor* 98:337–349.
- Wolda, H. 1990. Food availability for an insectivore and how to measure it. In: Morrison, M.L., C.J. Ralph, J. Verner, J.R. Jehl, Jr., editors. Avian foraging: theory, methodology, and applications. *Studies in avian biology* 13:38–43.
- Zach, R., and J.B. Falls. 1976. Ovenbird hunting behavior in a patchy environment: an experimental study. *Canadian Journal of Zoology* 54:1863–1879.
- Zimmerman, M. 1991. *Corylus cornuta*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available at: <http://www.fs.fed.us/database/feis/>. Accessed: 10/13/03.